

**REMARKS/ARGUMENTS**

Claims 1-17 stand rejected after entry of an amendment pursuant to a request for continued examination. The rejection nearly verbatim reiterates the prior rejection under 35 USC 103(a) based on a combination of Juvinall (cited by the Applicant) with Chen and Shaw. The Applicant respectfully submits that the Examiner has misapplied the references and has misconstrued the limitations of the claims. To further clarify the distinctions, claims 1 and 9 have now been amended.

Due to the complexity of this technology and the evident difficulty understanding the distinctions between the invention and the prior art, the Applicant requests full and specific consideration of the arguments and of the expert opinion submitted herewith and made of record, including claim amendments. If in the opinion of the Examiner, the language of the claims and the arguments presented still do not fully satisfy the Examiner nor address the Examiner's concerns respecting limitations argued, and in order to avoid need for higher administrative and judicial review, the Examiner is invited to call the undersigned, collect, at the number given below to address such concern.

By this response, the declaration of Dr. John F. Gustafson has been submitted to support the patentability of the invention as claimed. Dr. Gustafson is a world-renowned authority in this field. Other experts are also prepared to submit opinions. However, only one expert opinion is supplied at this time.

Paraphrasing, Dr. Gustafson submits that the system and method as recited in the claims (the concept of two-layered processing, with object independent per-frame processing of images without need for access to external memory for image data using parallel processors associated with individual pixels, and object dependent symmetric multi-processing in the second layer) is a new paradigm worthy of patentability. He is also of the opinion that Juvinall does not stand for the propositions advanced by the Examiner. He is also of the opinion that the Chen and Shaw references do not supply deficiencies as asserted by the Examiner, and he does

not find that the combination of the references makes the claimed invention obvious to one of skill in the art.

With respect to claims 1 and 9, the Examiner reasoned that:

1) "It would have been obvious to one skill [sic] in the art at the time of the invention to employ Chen et al teachings to Juvinall to clarify the design of the post-processing engine. In doing so, the design structure of this post-processing engine provides the optimal use of computation (column 7, lines 15-20) as well as performing two simultaneous 2-dimensional cross correlations of data sets (column 8 lines 7-10)."

2) "It would have been obvious to one skill [sic] in the art at the time of the invention to employ Shaw et al teaches [sic] to Juvinall regarding where parallel processor process [sic] data with out the use of external memory to avoid memory bandwidth restriction. Memory management is a time consuming process that requires extra memory management hardware. This would further require more cost to the system without improving the efficient [sic] of the system of a parallel system. The motivation to combine these teaches [sic] such that this will automatically scale and conform to available bandwidth (abstract) [sic]."

By this response, the Applicant renews all previous arguments, particularly those filed October 11, 2007, and respectfully traverses the characterizations of the relevance of the prior references.

Moreover, the Applicant respectfully traverses the conclusions of the Examiner as to the obviousness of the cited combination of references. The Applicant also respectfully observes that the conclusions, particularly the conclusion herein listed as 2) with respect to Shaw and the motivation to combine the reference with the other references, are not well reasoned. Shaw is said to stand for the proposition not to use external memory. As herein after explained, that is inadequate motivation to combine the references, and in any case it does not supply the deficiencies of the other references.

The Applicant points out that the present invention must be understood as being directed to a new type of architecture. That architecture is not shown or disclosed in any of the cited patents in any combination. This characterization is confirmed by the declaration of Dr. Gustafson.

The subject matter of Juvinall, which was specifically cited by the Applicant, is the type of prior art with deficiencies that the present invention addresses and overcomes, as discussed in the background of the invention. None of the art of record discloses computational structures or processing: 1) on a per-frame basis with one processor per pixel and without access to external memory for image storage, in combination with 2) N-way symmetric multi-processing image processing at the object level.

The Examiner has relied on Juvinall, column 2, lines 50-55 as an enabling teaching of the invention. In fact, the cited excerpt, when read in context, teaches away from the present invention. Reference is made to Juvinall, column 2, line 60 to column 3, line 2, which states:

“By controlling operation of these electronics, the mater computer obtains pixel data from the camera and *stores such data by pixel in **memory**, retrieves pixel data from **memory** and loads such data by pixel into the systolic array processor* such that each of the plurality of one-bit processors retrieves and operates on one byte of pixel data, *returns data from the systolic array processor to the **memory**, and retrieves pixel data from **memory** and loads such data into the data dependent processor for non-sequential and/or data dependent image processing.*”  
[emphasis added]

This methodology is contrary to the teachings of the presently claimed invention, wherein image data is retrieved from and stored on a per-frame basis in registers *integral* with the image processing engine. The present invention does not retrieve from and write to external memory in the processing operations on object-independent data. Moreover, the nature of the claimed architecture means that the very need for external memory is minimized.

In the Specification, the Applicant previously addressed the deficiencies of the prior art, to which Juvinall and Chen belong and represent. Two key features are not disclosed or taught: First, processing of data at the pixel level (one processor per pixel) on a per-frame basis without need for accessing external memory, and, second, processing of data at the object level with an SMP. To the second point, the Applicant respectfully disputes the Examiner's inferences from the prior art. To the first, the claims make it clear there is no memory access in the processing. Data found in integral registers associated with the central processors are

processed without any access to the external memory. This is a fundamental and economically significant difference between this and the teachings of the prior art.

The deficiencies in the teachings of each of the references are herewith addressed.

1. The Examiner contended that Juvinall discloses that the pixel processor array receives image data as a full frame and processes it as such. That is not true. The Juvinall system reads the frame data into frame memory, and then the pixel processor array reads them block by block (or block-parallel, depending on how many pixel processors are available), and then the pixel processor processes the blocks such that pixels are processed sequentially within a block. There are a number of fundamental differences between Juvinall and the claimed invention. The claimed invention uses one processor per pixel, even if the frame data is multiplexed. Juvinall uses blocks. Juvinall describes a 1-bit processor. The present invention has a processor per pixel that uses as many bits as there are in the color representation, typically 8 bits per color. The present invention also uses the registers within the processor to hold image data for T-2, T-1 and T. Juvinall uses a block RAM external to the processor to hold pixel data of a block, which in turn is a part of a frame. The claimed invention can and does traverse block boundaries for multiplexed frames. Traversal of block boundaries is not mentioned in Juvinall, nor is it required by the process described. Juvinall's MPP SIMD systolic array is based on a multitude of traditional CPUs, with I/O and external memory, each requiring and relying on common DRAM access for code and image data as well as for swap and temporary data. Specifically, Juvinall describes the processing of image data such that data is streamed into DRAM of the system, and then this frame data is fetched from DRAM block by block into the block RAM within the plurality of pixel processors, and is transferred back from there to DRAM (to complete the frame data), and only then from there into the next layer. In effect, the common memory is the performance limiting factor in Juvinall's patent, and the present claimed invention was explicitly made to circumvent exactly these problems and limitations.

In the present invention, the architecture streams the data from the image sensor or the camera into the first layer processor array, and from there directly into the second layer processor. There is no need for image data to be stored anywhere outside the processing architecture for the first layer; all data is streamed in and out. A frame buffer between the

camera and the first layer processor only needs to be deployed in this architecture if the entire frame is comprised of multiple frames from multiple cameras, or if realignment of frame data is required because the data is streamed in via unsynchronized high speed serial links from a high-speed camera (a camera with 10,000 frames per second or more).

2. The Examiner states that Juvinall does not teach that the second layer processing is carried out in an SMP. That is correct. In fact, Juvinall suggests the second layer processor array to be another MPP SIMD.

3. The Examiner then states that Chen discloses an N-way SMP system to perform the second layer processing, and that Shaw teaches that such processor uses no external memory. Both statements are incorrect. Chen does not disclose an N-way symmetric multi processor system. The assertion is based on Parimics' claim – it is not Chen's disclosure. Chen does not disclose a second layer to be an SMP. In fact in column 11, beginning at line 45, Chen very explicitly refers to an MPP SIMD:

*"Each Two Stage Processor... has its own Cache RAM... which supplies its data; hence the "Multiple Data" pan of SIMD. Cache RAMs ... can be multiport RAM, a set of bank-switched single-port RAMs, or a mixture of single-port and multiport RAMs."*

4. The Shaw reference has been cited for the proposition of the benefit of avoiding external memory. The Examiner cited Shaw column 28, lines 40 to 55 as disclosing the claimed feature. Closer examination reveals that this is actually a claim that is directed to an external memory element that supports separate parallel processing neighbors. This has nothing to do with the teachings or claimed architecture of the present invention. The Examiner asserts that Shaw teaches the use of internal memory for image storage. That is incorrect. Shaw merely teaches that *instruction data* is held within the processors—something that every CPU does today. In Figures 10A and 10B, Shaw very clearly refers to instruction memory, and not to image data. This is equivalent to an I-Cache (instruction cache) of any modern processor. It has nothing to do with image data being held inside registers of a plurality of pixel processors. Thus, there is nothing suggesting anything relative to the fundamentally different architecture as claimed.

The Examiner concludes with reasoning for the combination of the three references that is not supported by attempts to combine the references:

*“It would have been obvious to one skill [sic] in the art at the time of the invention to employ [sic] Chen et al teachings to Juvinall to clarify the design of the post-processing engine. In doing so, the design structure of this post-processing engine provides the optimal use of computation (column 7 lines 15-20) as well as performing two simultaneous 2-dimensional cross correlations of data sets (column 8 lines 7-10).*

*“It would have been obvious to one skill [sic] in the art at the time of the invention to employ [sic] Shaw et al teaches [sic] to Juvinall regarding where parallel processor process [sic] data with out the use of external memory to avoid memory bandwidth restriction. Memory management is a time consuming process that requires extra memory management hardware. This would further require more cost to the system without improving the efficient [sic] of the system of a parallel system. The motivation to combine these teaches such that [sic] this will automatically scale and conform to available bandwidth.[sic] ”*

While this statement is difficult to interpret, it is inferred that the Examiner means that Shaw, which discloses internal *instruction* storage, together with the observation that since memory requires management hardware, memory storage is to be avoided.

It is a major change *and not a clarification of the post-processing engine* to change architecture from an MPP SIMD to an SMP. Moreover, the MPP SIMD architecture herein claimed is not at all conventional. Shaw relates to internal instruction storage, not internal image data storage in an image processing engine. The second layer of the presently claimed invention is an SMP. No claim is made to use of an SMP without external memory. Second layer processing occurs in an SMP with N DFT engines and N Matrix Multiplication engines, and they may in fact use external DRAM to hold the preprocessed frame data, intermediate data, transient data and path and trajectory data, since the nature of the data is not prone to access collisions and do not require the complex memory management propounded by the Examiner. Consequently, the Examiner's argument and conclusion fail to address any conflict with the claimed invention.

However, it is not obvious to one skilled in the art to use an MPP SIMD without the use of external memory in the first layer of image processing, and an SMP with external memory for the second layer of processing.

The Applicant respectfully traverses the reasoning that the three cited references can be combined to yield the claimed invention. Even if combined, they do not teach the claimed invention. The claimed architecture may be considered to be of the so-called Harvard structure. The cited art is all of the so-called von Neumann architecture. (Juvinal explicitly states that it is of the von Neumann model.) Therefore, Juvinal and Chen do not lend themselves to any obvious combination, and certainly not a combination that points to the claimed invention. If one were somehow to combine the teachings of the references, it would only aggravate the memory i/o problem, a problem which the present invention addresses and overcomes.

Referring to claims 2-8 and 10-17, the Applicant has presented claims with more particularity that also distinguish over the prior art.


The Applicant, as supported by the opinion of a recognized expert in the field, respectfully submits that the cited prior art has been misapplied to the invention as claimed.

### CONCLUSION

In view of the foregoing, Applicants believe all claims now pending in this Application are in condition for allowance. The issuance of a formal Notice of Allowance at an early date is respectfully requested.

If the Examiner believes a telephone conference would expedite prosecution of this application, please telephone the undersigned at (650) 326-2400.

Respectfully submitted,



Kenneth R. Allen  
Reg. No. 27,301

TOWNSEND and TOWNSEND and CREW LLP  
Two Embarcadero Center, Eighth Floor  
San Francisco, California 94111-3834  
Tel: (650) -326-2400  
Fax: (650) -326-2422  
Attachments  
KRA:deh  
61200768 v1